

PROBYN'S
FORMULÆ OF
TASTELESS PILLS
&c. &c.

PRICE ONE SHILLING



22102086372

Med

K14808

J. S. Cobbold Esq. M.D.

With Messrs. Postyn & Co's
Compliments

PROBYN'S

FORMULÆ OF

TASTELESS PILLS, &c.

PREPARED BY AND TO BE OBTAINED OF

PROBYN & COMPY.

Operative Chemists,

55, GROSVENOR ST., GROSVENOR SQ., W.

AND AT

7, PALL MALL EAST, LONDON, S.W.

PRICE ONE SHILLING.

ENTERED AT STATIONERS' HALL.

95400


16717

17000000

LONDON :

PRINTED BY T. PETTITT & CO., 22 & 23, FRITH STREET,
AND 50, OLD COMPTON STREET, SOHO.

LONDON INSTITUTE	
No. 11	
we	M O mec



MESSRS. PROBYN & COMPY. in presenting their list of Tasteless Pills, &c., to the Profession, take this opportunity of tendering their warmest thanks for the confidence and liberal support accorded to them.

These Pills are prepared at the suggestion of several of our most eminent West-End Physicians, and the formulæ (in many instances) supplied by them.

We need hardly assure our friends, that scrupulous accuracy and integrity of composition may be relied upon, and we would suggest, to prevent disappointment, that when writing a prescription, the name "PROBYN" may be annexed, also the number of the formula as—

R

Pil. Phosph. c Ferro.—"Probyn."

Form 57.

55, GROSVENOR STREET,
GROSVENOR SQUARE, W.
AND AT 7, PALL MALL EAST,
LONDON, S.W.

I N D E X.

—:0:—

	FORM
Conf. Sennæ c̄ Jalap	131
Granules—Morphia	108, 109
„ Opium	106, 107
„ Phosphorus	46 to 51
Linctus Glycerini Co.	129
Mistura Alkalina	125
„ „ Effervescens	126
„ Ferri Comp.	128
„ Hydrarg. c̄ Iodo.	130
„ Resin. Copaibæ	127
Pil. Aloës et Assafoetidæ, B.P.	112
„ „ „ Ferri „	116
„ „ „ „ et Nucis Vom.	35
„ „ „ „ „ „ Fort.	34
„ „ c̄. Ferro et Quinia	45
„ „ et Myrrhæ, B.P.	113
„ „ „ c̄ Ferro	22
„ „ c̄ Mastic et Ipecac.	41
„ Aloin et Jalapin	5
„ Alterat.	44
„ Anthem. et Rhei c̄ Zingib... ..	70
„ Assafoet. Comp.	114
„ Bismuth c̄ Ferro	69
„ Cambogiæ Co.	115

Pil. Camph. Co.	32
„ Cannabis Indicæ	87 to 93
„ Cathart. Co.	14
„ Cerii Oxalat.	62, 63, 64
„ Codeiæ	102
„ „ c̄ Quinia	103
„ „ „ et Tarax	104
„ „ „ „ Rheo	105
„ Coloc. Co. B.P.	118
„ „ „ c̄ Hydrarg. et Hyos. ...	39
„ „ „ „ „ Rheo	40
„ „ „ et Hyoscyam, B.P. ...	119
„ „ „ c̄ „ et Podoph. ...	18
„ Creasoti	85
„ Digitalis et Scillæ	33
„ Ferri Carb., B.P.	117
„ „ c̄ Galbano et Coloc.	29
„ „ Iodid., B.P.	71
„ „ et Quinia c̄ Nuc. Vom. ...	28
„ „ „ Nuc. Vom. et Gent. ...	27
„ „ et Quiniæ c̄ Strychniâ Phosph. ...	86
„ Hydrarg... ..	74 to 77
„ „ c̄ Coloc.	19
„ „ „ et Rheo	20
„ „ c̄ Creta	78, 79
„ „ c̄ „ et Pu. Dover	9
„ „ „ „ et Rheo	6
„ „ Iodidi Rubri.	72

Pil. Hydrarg. Iodid Virid.	73
„ „ \bar{c} Ipecac. Co.	67
„ „ \bar{c} Opio	8
„ „ Perchlor.	4
„ „ et Rhei	7
„ „ Subchlor.	98 to 101
„ „ „ et Pu. Dover	36
„ „ „ \bar{c} Opio	1 to 3
„ „ „ et Scammon.	10
„ „ „ „ „ \bar{c} Zingib.	11
„ Hyoscyam.	83, 84
„ „ \bar{c} Scillâ	120
„ Ipecac Co. Parv.	30
„ „ \bar{c} Scillâ	121
„ Morph. \bar{c} Scillâ et Ipecac.	31
„ Nucis Vom. et Rhei	16
„ „ „ „ Coloc. Co.	17
„ „ „ \bar{c} „ et Rheo	42
„ Pepsin et Aloës	12
„ „ Co.	97
„ „ et Ferri \bar{c} Zinci Phosph.	25
„ „ Porci	94 to 96
„ Phosph.	46 „ 51
„ „ Comp.	59
„ „ \bar{c} Ferro	57
„ „ „ „ et Nuc. Vom.	55
„ „ „ „ et Quiniâ	58
„ „ et Nuc. Vom.	52

	FORM
Pil. Phosph. et Nucis Vom. Fort	56
„ „ c̄ Quiniā	53
„ „ „ „ et Nuc. Vom.	54
„ „ Ferri et Strychniæ	60
„ „ „ „ Fort	61
„ Picis Nig.	110
„ Plumbi c̄ Opio	122
„ Podoph. et Belladon.	38
„ „ „ Rhei	37
„ „ „ Rhei c̄ Capsic... ..	15
„ Quiniæ	80, 81, 82
„ „ c̄ Ferro et Hyos.	23
„ „ et Nucis Vom.	21
„ „ „ „ „ Fort	24
„ „ „ Rhei	13
„ „ Valerian et Quassiæ	68
„ Rhei Comp.	123
„ „ c̄ Ipecac. et Nuc. Vom.	65
„ „ c̄ Nuc. Vom. et Hydrarg.	66
„ Sapon. Co.	124
„ Scillæ et Ipecac c̄ Stramon	43
„ Trousseau	111
„ Zinci Valerian et Rhei... ..	26

	PAGE
Cod Liver Oil Emulsion... ..	43
Peptone of Beef	44
Pessaries, List of	41
Salts, Granular Effervescent	42

FORMULÆ.

FORM 1.

Pil. Hyd. Subchlor. \bar{c} Opio.

R_x

Hyd. Subchlor., gr. i.

Pulv. Opii, gr. $\frac{1}{4}$

M. ft. pil.

FORM 2.

Pil. Hyd. Subchlor. \bar{c} Opio.

R_x

Extract Opii, gr. $\frac{1}{2}$.

Hydrarg., Subchlor., gr. i.

M. ft. pil.

FORM 3.

Pil. Hyd. Subchlor. \bar{c} Opio.

R_x

Hyd. Subchlor., gr. ii.

Pulv. Opii, gr. $\frac{1}{4}$.

M. ft. pil.

FORM 4.

Pil. Hyd. Perchlor. Co.*(Bichloride).*

℞

Hydrarg. Perchlor., gr. $\frac{1}{8}$.

Quiniæ Sulph., gr. i.

Ext. Belladon.

Ext. Rhei, aa. gr. $\frac{1}{2}$.

M. ft. pil.

FORM 5.

Pil. Aloin et Jalapin.*(Laxative Granules.)*

℞

Aloin.

Jalapin, aa. gr. $\frac{1}{2}$.Gingerin, min., $\frac{1}{6}$.

M. ft. Gran.

FORM 6.

Pil. Hyd. \bar{c} Cretâ et Rheo.

℞

Hyd. \bar{c} Cretâ, gr. ij.

Ext. Rhei, gr. i.

Pulv. Ipecac., gr. $\frac{1}{4}$

M. ft. pil.

FORM 7.

Pil. Hyd. et Rhei.

℞

Pil. Hydrarg., gr. i.

Ext. Rhei, gr. i.

Pulv. Ipecac., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 8.

Pil. Hyd. c̄ Opio.

℞

Pil. Hydrarg., gr. iij.

Pulv. Opii, gr. $\frac{1}{2}$.

M. ft. pil.

Others also containing 3, 4 and 5 grs.

Pil. Hydrarg.,

and $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{2}$, and $\frac{3}{4}$ gr. Pulv. Opii respectively, in each
pill.

FORM 9.

Pil. Hyd. c̄ Cretâ et Pu. Dover.

℞

Hydrarg. c̄ Cretâ, gr. i.

Pulv. Ipecac. Co., gr. $\frac{1}{2}$.

Mucil., q. s.

M. ft. pil.

FORM 10.

Pil. Hyd. Subchlor. et Scammon.

℞

Hyd. Subchlor., gr. i.

Pulv. Scammon., gr. ij.

Jalapin, gr. $i\frac{1}{2}$.

M. ft. pil.

FORM 11.

Pil. Hyd. Subchlor. et Scammon. c̄ Zingib.

℞

Hydrarg. Subchlor., gr. i.

Pulv. Scammon., gr. iij.

Pulv. Zingiber, gr. i.

M. ft. pil.

FORM 12.

Pil. Pepsin et Aloes.

℞

Pepsin Porci., gr. iij.

Ext. Aloës. Barb., gr. i.

M. ft. pil.

FORM 13.

Pil. Quiniæ et Rhei.

℞

Quiniæ. Sulph., gr. $\frac{1}{2}$.Pil. Rhei Comp., gr. $\frac{3}{4}$.

Ext. Lupuli, gr. iv.

M. ft. pil.

FORM 14.

Pil. Cathart. Comp.

℞

Hydrarg. Subchlor., gr. i.

Extract Coloc. Co., gr. i

Ext. Jalapæ, gr. i.

Pil. Cambog. Co., gr. $\frac{1}{4}$.Gingerin, gr. $\frac{1}{72}$

M. ft. pil.

FORM 15.

Pil. Podoph. et Rhei. c Capsic.

℞

Podoph. Resin., gr. $\frac{1}{4}$.Pulv. Rhei, gr. ii $\frac{1}{2}$.Ext. Hyoscyam., gr. i $\frac{1}{2}$.Pulv. Capsic., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 16.

Pil. Nuc. Vom. et Rhei.

℞

Ext. Nuc. Vom., gr. $\frac{1}{4}$.Pulv. Ipecac., gr. $\frac{1}{2}$.Pil. Rhei Co., gr. iii $\frac{1}{2}$.

M. ft. pil.

FORM 17.

Pil. Nuc. Vom. et Coloc. Co.

℞

Ext. Nuc. Vom., gr. $\frac{1}{4}$.

Pil. Coloc. Comp., gr. ij.

Ext. Hyoscyam., gr. j.

Ext. Aloës Aquos, gr. i.

M. ft. pil.

FORM 18.

Pil. Coloc. c̄ Hyoscy. et Podoph.

℞ Pil. Coloc. et Hyoscy., gr. iv.

Podoph. Resin., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 19.

Pil. Hyd. et Coloc.

℞ Pil. Hydrarg., gr. ij.

Pil. Coloc. Co., gr. ij.

M. ft. pil.

FORM 20.

Pil. Hyd. c̄ Coloc. et Rheo.

℞ Pil. Hydrarg.

Pil. Coloc. Co.

Pil. Rhei Co., aa. gr. i.

M. ft. pil.

FORM 21.

Pil. Quin. et Nuc. Vom.

R

Quin. Sulph., gr. i.

Pil. Rhei Co., gr. ii.

Pulv. Capsici, gr. $\frac{1}{2}$.

Ext. Nucis Vom., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 22.

Pil. Aloes et Myrrh. c Ferro.

R

Pil. Aloës et Myrrh., gr. ij.

Ferri Sulph. Exsic., gr. $i\frac{1}{2}$.

Ext. Nucis Vom., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 23.

Pil. Quin. c Ferro. et Hyoscy.

R

Quin. Sulph.

Ferr. Sulph.

Ext. Hyoscyam., aa. gr. $i\frac{2}{3}$.

M. ft. pil.

FORM 24.

Pil. Quin. et Nuc. Vom. Fort.

℞ Quin. Sulph., gr. $i\frac{1}{2}$.
 Ext. Nucis Vom., gr. $\frac{1}{4}$.
 Ext. Gent., gr. $i\frac{1}{2}$.
 Pulv. Capsic., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 25.

Pil. Pepsin et Ferri c̄ Zinci Phosph.

℞ Pepsin. Porci., gr. $i\frac{1}{2}$.
 Ferri Redact., gr. $i\frac{1}{2}$.
 Zinci Phosphid., gr. $\frac{1}{10}$.

M. ft. pil.

FORM 26.

Pil. Zinci Valer. et Rhei.

℞ Zinci Valerianat., gr. i.
 Pil. Rhei Comp., gr. $i\frac{1}{2}$.
 Ext. Anthemidis, q. s.

M. ft. pil.

FORM 27.

**Pil. Ferri c̄ Quin. Nuc. Vom. et Gent. vel
 Pil. Tonici.**

℞ Quiniæ Sulph., gr. i.
 Ferri Sulph. Exsic., gr. i.
 Ext. Nuc. Vom., gr. $\frac{1}{2}$.
 Ext. Gent., q. s.

M. ft. pil.

FORM 28.

**Pil. Ferr. c̄ Quin. et Nuc. Vom. [vel
Pil. Tonic. Aper.**

R

Quiniæ Sulph., gr. i.
Ferri Sulph. Exsic., gr. i.
Ext. Nucis Vom., gr. $\frac{1}{2}$.
Ext. Aloës Aquos., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 29.

Pil. Ferr. c̄ Galban. et Coloc.

R

Ferri Sulph. Exsic.
Pil. Galban. Comp., aa. gr. $\frac{1}{2}$.
Pil. Coloc. Comp., gr. $i\frac{1}{4}$.

M. ft. pil.

FORM 30.

Pil. Ipecac. Co. (parv).

R

Pulv. Ipecac. Co., gr. $\frac{1}{4}$.
Conf. Rosæ, q. s.

M. ft. pil.

FORM 31.

Pil. Morph. c Scilla et Ipecac.

R

Morphiæ Hydrochlor., gr. $\frac{1}{36}$ Pulv. Ipecacuanhæ, gr. $\frac{1}{12}$ Bals. Tolutani, gr. $\frac{1}{4}$ Pulv. Scillæ, gr. $\frac{1}{12}$

Pulv. Acac. q. s.

M. ft. pil.

FORM 32.

Pil. Camph. Comp.

R

Pulv. Opii.

Acid. Benzoic.

Camphoræ, aa. gr. $\frac{1}{8}$.Ol. Anisi, ℥ $\frac{1}{8}$.

Excipient, gr. iij.

M. ft. pil.

FORM 33.

Pil. Digitalis et Scillæ.

R

Pulv. Digitalis, gr. $\frac{1}{2}$

Pulv. Scillæ, gr. i.

Ext. Opii, gr. $\frac{1}{2}$.

M. ft. pil.

FORM 34.

Pil. Aloes c̄ Ferr. et Nuc. Vom. Fortior.

℞

Pil. Aloës c̄ Ferro, gr. iv.

Ext. Nucis Vom., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 35.

Pil. Aloes c̄ Ferro et Nuc. Vom.

℞

Pil. Aloës c̄ Ferro, gr. iv.

Ext. Nucis Vom., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 36.

Pil. Hyd. Subchlor. et Pu. Doveri.

℞

Hydrarg. Subchlor., gr. i.

Pulv. Ipecac. Co., gr. iv.

Mucil. q. s.

M. ft. pil.

FORM 37.

Pil. Podoph. et Rhei.

℞

Podoph. Resin, gr. $\frac{1}{4}$

Pil. Rhei. Comp., gr. iii.

Ext. Hyoscyam., gr. i.

M. ft. pil.

FORM 38.

Pil. Podoph. et Belladon.

℞

Podoph. Resin., gr. $\frac{1}{4}$ Ext. Belladon., gr. $\frac{1}{8}$.

Pulv. Capsici, gr. i.

M. ft. pil.

FORM 39.

Pil. Coloc. \bar{c} Hyd. et Hyoscyam.

℞

Pil. Coloc. Comp., gr. ij.

Pil. Hydrarg.

Ext. Hyoscyam., aa. gr. $i\frac{1}{2}$.

M. ft. pil.

FORM 40.

Pil. Coloc. \bar{c} Hyd. et Rheo.

℞

Pil. Coloc. Comp.

Pil. Hydrarg.

Pil. Rhei Comp., aa. gr. $i\frac{2}{3}$

M. ft. pil.

FORM 41.

Pil. Aloes ꝛ Mastic et Ipecac.*(Pil Prandii).*

℞

Ext. Aloës. Aquos., gr. i.

Pulv. Mastic., gr. i.

Pulv. Ipecac., gr. $\frac{1}{4}$.Pulv. Capsici, gr. $\frac{1}{4}$.Ext. Tarax., gr. $1\frac{1}{4}$.

M. ft. pil.

FORM 42.

Pil. Nucis Vom. ꝛ Coloc. et Rheo.

℞

Ext. Nucis Vom., gr. $\frac{1}{4}$.

Pil. Coloc. Comp.

Pil Rhei Comp.

Ext. Hyoscyam., aa. gr. i.

M. ft. pil.

FORM 43.

Pil. Scillæ et Ipecac. ꝛ Stramonio.

℞

Pil. Scillæ et Ipecac., gr. iv.

Ext. Stramonii, gr $\frac{1}{2}$.

M. ft. pil.

FORM 44.

Pil. Alterat.

℞

Pil. Coloc. et Hyos., gr. iij.

Pil. Hydrarg., gr. $i\frac{1}{2}$.Pulv. Ipecac., gr. $\frac{1}{4}$.Ext. Colch. Acet., gr. $\frac{1}{4}$.

M. ft. pil.

FORM 45.

Pil. Aloes c Ferro et Quinia.

℞

Ferri Sulph. Exsic., gr. ij.

Quiniæ Sulph., gr. i.

Ext. Aloës Aquos., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 46.

Phosphorus Granules.Containing $\frac{1}{25}$ of a grain of Phosph.

℞

Phosphori, gr. $\frac{1}{25}$.

Excipient, gr. ij.

M. ft. Granula.

FORM 47.

Phosphorus Granules.

Containing $\frac{1}{30}$ of a grain of Phosph.

Rx

Phosphori, gr. $\frac{1}{30}$.

Excipient, gr. $ij\frac{1}{5}$.

M. ft. Granula.

FORM 48.

Phosphorus Granules.

Containing $\frac{1}{33}$ of a grain of Phosph.

Rx

Phosphori, gr. $\frac{1}{33}$.

Excipient, gr. $i\frac{1}{2}$.

M. ft. Granula.

FORM 49.

Phosphorus Granules.

Containing $\frac{1}{50}$ of a grain of Phosph.

Rx

Phosphori, gr. $\frac{1}{50}$.

Excipient, gr. $i\frac{1}{5}$.

M. ft. Granula.

FORM 50.

Phosphorus Granules.

Containing $\frac{1}{75}$ of a grain of Phosph.

R

Phosphori, gr. $\frac{1}{75}$.

Excipient, gr. i.

M. ft. Granula.

FORM 51.

Phosphorus Granules.

Containing $\frac{1}{100}$ of a grain of Phosph.

R

Phosphori, gr. $\frac{1}{100}$.

Excipient, gr. $\frac{3}{4}$.

M. ft. Granula.

FORM 52.

Pil. Phosph. et Nuc. Vom.

R

Phosph. Pur., gr. $\frac{1}{30}$.

Ext. Nucis Vomicæ, gr. $\frac{1}{4}$.

Excipient, q. s.

M. ft. pil.

FORM 53.

Pil. Phosph. c̄ Quinia.

℞

Phosph. Pur., gr. $\frac{1}{50}$.
 Quiniæ Sulphat., gr. i.
 Excipient, q. s.

M. ft. pil.

FORM 54.

Pil. Phosph. c̄ Quinia et Nuc. Vom.

℞

Phosph. Pur., gr. $\frac{1}{50}$.
 Quiniæ Sulph., gr. i.
 Ext. Nucis Vom., gr. $\frac{1}{4}$.
 Excipient, q. s.

M. ft. pil.

FORM 55.

Pil. Phosph c̄ Ferro et Nuc. Vom.

℞

Phosph. Pur., gr. $\frac{1}{33}$.
 Ferri Redact., gr. ij.
 Ext. Nuc. Vom., gr. $\frac{1}{4}$.
 Excipient, q. s.

M. ft. pil.

FORM 56.

Pil. Phosph et Nuc. Vom. Fort.

℞

Phosph. Pur., gr. $\frac{1}{33}$.Ext. Nuc. Vom., gr. $\frac{1}{2}$.

Excipient, q. s.

M. ft. pil.

FORM 57.

Pil. Phosph. c Ferro.

℞

Phosph. Pur., gr. $\frac{1}{50}$.

Ferri. Redact., gr. iij.

Excipient, q. s.

M. ft. pil.

FORM 58.

Pil. Phosph. c Fer. et Quinia.

℞

Phosph. Pur., gr. $\frac{1}{50}$.

Ferri Redact., gr. iij.

Quiniæ Sulph., gr. $\frac{1}{2}$

Excipient, q. s.

M. ft. pil.

FORM 59.

Pil. Phosph. Comp.

℞

Phosph. Pur., gr. $\frac{1}{50}$.

Ferri Redact., gr. iij.

Quiniæ Sulph., gr. $\frac{1}{2}$.Strychniæ, gr. $\frac{1}{40}$.

Excipient, q. s.

M. ft. pil.

FORM 60.

Pil. Phosph., Ferri et Strychniæ.

℞

Phosph. Pur., gr. $\frac{1}{50}$.Strychniæ, gr. $\frac{1}{50}$.

Ferri Redact., gr. iij.

Excipient, q. s.

M. ft. pil.

FORM 61.

Pil. Phosph., Ferri et Strychniæ Fort.

℞

Phosph. Pur., gr. $\frac{1}{50}$.Strychniæ, gr. $\frac{1}{30}$.

Ferri. Redact, gr. iij.

Excipient, q. s.

M. ft. pil.

FORM 62.

Pil. Cerii. Oxalat.

℞

Cerii. Oxalat., gr. i.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 63.

Pil. Cerii. Oxalat.

℞

Cerii. Oxalat., gr. ij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 64.

Pil. Cerii. Oxalat.

℞

Cerii. Oxalat., gr. iij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 65.

Pil. Rhei c̄ Ipecac. et Nuc. Vom.

℞

Pulv. Rhei.

Pulv. Ipecac.

Ext. Aloës Aquos, aa. gr. i.

Ext. Nucis Vomicæ, gr. ½.

M. ft. pil.

FORM 66.

Pil. Rhei c̄ **Nuc. Vom. et Hyd.**

℞

Pulv. Rhei.

Pulv. Ipecac.

Ext. Aloës Aquos, aa. gr. $\frac{3}{4}$.Ext. Nucis Vomicæ, gr. $\frac{1}{4}$.

Pil Hydrarg., gr. i.

M. ft. pil.

FORM 67.

Pil. Hyd. c̄ **Pu. Ipecac. Co.**

℞

Pil. Hydrarg., gr. ij.

Pulv. Ipecac. Co., gr. iii.

M. ft. pil.

FORM 68.

Pil. Quiniæ Valer. et Quassiæ.

℞

Quiniæ Valerianat, gr. i.

Extract Quassiæ, gr. ij.

M. ft. pil.

FORM 69.

Pil. Bismuth. c̄ Ferro.

℞

Bismuth. Subnit., gr. iii½

Ferri Redact., gr. i.

Ext. Hyoscyam., gr. i.

M. ft. pil.

FORM 70.

Pil. Anthem. et Rhei c̄ Zingib.

℞

Ext. Anthemidis, gr. $j\frac{1}{2}$.

Ext. Rhei, gr. j.

Pulv. Zingib., gr. j.

M. ft. pil., ij.

FORM 71.

Pil. Ferri Iodidi, B.P., gr. v.

Three pills contain the same quantity of Iodide of Iron as one drachm of the Syr. Ferri Iodid., B.P., holds in solution.

FORM 72.

Pil. Hyd. Iodidi Rubri.

℞

Hydrarg. Iodid Rub., gr. $\frac{1}{33}$.

Ext. Conii, gr. ij.

Morph. Hydrochlor., gr. $\frac{1}{4}$ Pulv. Zingiber, gr. $i\frac{1}{2}$.

Glycerini, q. s.

M. ft. pil.

FORM 73.

Pil. Hyd. Iodid. Virid.

℞

Hydr. Iodid. Virid., gr. $\frac{1}{2}$.Pulv. Opii, gr. $\frac{1}{4}$.

Excipient, gr. ij.

M. ft. pil.

FORM 74.

Pil. Hydrarg.

℞

Pil. Hydrarg., gr. ij.

Ft. pil.

FORM 75.

Pil. Hydrarg.

℞

Pil. Hydrarg., gr. iij.

Ft. pil.

FORM 76.

Pil. Hydrarg.

℞

Pil. Hydrarg., gr. iv.

Ft. pil.

FORM 77.

Pil. Hydrarg.

℞

Pil. Hydrarg., gr. v.

Ft. pil.

FORM 78.

Pil. Hydrarg. ̄ Cretâ.

℞

Hydrarg. ̄ Cretâ, gr. ij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 79.

Pil. Hydrarg. ̄ Cretâ.

℞

Hydrarg. ̄ Cretâ, gr. iij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 80.

Pil. Quiniæ.

℞

Quiniæ Sulph., gr. i.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 81.

Pil. Quiniæ.

℞

Quiniæ Sulph., gr. ii.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 82.

Pil. Quiniæ.

℞

Quiniæ Sulph., gr. iij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 83.

Pil. Hyoscyam.

℞

Ext. Hyoscyam., gr. ij.

Ft. pil.

FORM 84.

Pil. Hyoscyam.

℞

Ext. Hyoscyam., gr. iii.

Ft. pil.

FORM 85.

Pil. Creasoti.

℞

Creasoti, ℥ ij.

Zinci Oxidi., gr. ij.

M. ft. pil.

FORM 86.

Pil Ferri et Quiniæ et Strychniæ Phosph.

Each pill is equal in strength to one drachm of Easton's Syrup
 Ferri et Quin. c̄ Strychnia Phosph.

℞

Ferri. Phosph., gr. ij.

Quiniæ. Phosph., gr. i.

Strychniæ Phosph., gr. $\frac{1}{32}$.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 87.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. $\frac{1}{4}$.

Sacchar. Lact., q. s.

M. ft. pil.

FORM 88.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. $\frac{1}{4}$.

Sacchar Lactis, q. s.

M. ft. pil.

FORM 89.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., $\frac{1}{3}$.

Sacchar. Lactis, q. s.

M. ft. pil.

FORM 90.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. $\frac{1}{2}$.

Sacchar. Lactis., q. s.

M. ft. pil.

FORM 91.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. $\frac{2}{3}$.

Sacchar. Lactis., q. s.

M. ft. pil.

FORM 92.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. $\frac{3}{4}$.

Sacchar. Lactis., q. s.

M. ft. pil.

FORM 93.

Pil. Cannabis Ind.

℞

Ext. Cannabis Ind., gr. i.

Sacchar. Lactis., q. s.

M. ft. pil.

FORM 94.

Pil. Pepsin. Porci.

℞

Pepsin. Porci., gr. i.

Glycerin, q. s.

M. ft. pil.

FORM 95.

Pil. Pepsin. Porci.

℞

Pepsin. Porci., gr. ij.

Glycerin, q. s.

M. ft. pil.

FORM 96.

Pil. Pepsin. Porci.

℞

Pepsin. Porci., gr. iij.

Glycerin, q. s.

M. ft. pil.

FORM 97.

Pil. Pepsin. Comp.

℞

Pepsin. Porci., gr. ij.

Ext. Aloës, gr. $\frac{3}{4}$.Pulv. Capsic., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 98.

Pil. Hydrarg. Subchlor.

℞

Hydrarg. Subchlor., gr. i.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 99.

Pil. Hydrarg. Subchlor.

℞

Hydrarg. Subchlor., gr. ij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 100.

Pil. Hydrarg. Subchlor.

℞

Hydrarg. Subchlor., gr. iij.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 101.

Pil. Hydrarg. Subchlor.

℞

Hydrarg. Subchlor., gr. iv.

Conf. Rosæ, q. s.

M. ft. pil.

FORM 102.

Pil. Codeiæ.

℞

Codeiæ, gr. $\frac{1}{4}$.

Pil. Rhei Comp., gr. j.

Ext. Gentian, gr. ij.

M. ft. pil.

FORM 103.

Pil. Codeiæ c̄ Quinia.

℞

Codeiæ, gr. $\frac{1}{3}$.Quiniæ Sulph., gr. $\frac{1}{2}$.

Ext. Tarax., gr. ij.

Pil. Rhei Comp., gr. j.

M. ft. pil.

FORM 104.

Pil. Codeiæ c̄ Quinia et Tarax.

℞

Codeiæ, gr. $\frac{2}{3}$.Quiniæ Sulph., gr. $\frac{1}{2}$.

Ext. Tarax., gr. ij.

Pil. Rhei Comp., gr. j.

M. ft. pil.

FORM 105.

Pil. Codeiæ c̄ Quinia et Rheo.

℞

Codeiæ, gr. j.

Quiniæ Sulph., gr. i $\frac{1}{2}$.

Ext. Gent., gr. i.

Pil. Rhei Comp., gr. j.

M. ft. pil.

FORM 106.

Opium Granules.

℞

Pulv. Opii, gr. $\frac{1}{2}$.

Conf. Rosæ, q. s.

M. ft. gran.

FORM 107.

Opium Granules.

℞

Pulv. Opii, gr. i.

Conf. Rosæ, q. s.

M. ft. gran.

FORM 108.

Morphia Granules.

℞

Morphiæ Hydrochlor., gr. $\frac{1}{2}$.

Conf. Rosæ, q. s.

M. ft. gran.

FORM 109.

Morphia Granules.

℞

Morphiæ Hydrochlor., gr. i

Confect. Rosæ, q. s.

M. ft. gran.

FORM 110.

Pil. Picis Nig.

℞

Picis. Nigr., gr. iv.

M. ft. pil.

FORM 111.

Pil. Trousseau.

℞

Aloës Socot.

Ext. Colocynth.

Ext. Rhei.

Gum Cambog. aa. 1 gramme = gr. xv½.

Ext. Hyoscyam., 25 centigrammes =

gr. iij¾

Ol. Anisi, ℥ ij.

M. et div. in pil xx.

FORM 112.

Pil. Aloes et Assafœtidæ, B.P.

℞

Pulv. Aloës Soc.

Gum Assafœt.

Sapon. Dur.

Conf. Rosæ, aa. gr. ij½.

M. ft. pil. ij.

FORM 113.

Pil. Aloes et Myrrhæ, B.P.

R

Aloës Socot. Pulv., ʒ ij.

Gum Myrrhæ, ʒ i.

Pulv. Croci, ʒ ½

Confect. Rosæ, ʒ ij ½

M. ft. massa et div. in pil. xxiv.

FORM 114.

Pil. Assafœt. Comp., B.P.*(Syn. Pil. Galban. Comp.)*

R

Gum Assafœtidæ.

Gum Galbani.

Gum Myrrh, aa. ʒ i.

Theriacæ, ʒ ½

M. ft. massa et div. in pil. xiv.

FORM 115.

Pil. Cambog. Comp.

R

Gum Cambog.

Aloës Barb.

Pulv. Cinnam. Co., aa. ʒ i.

Sapo. Dur., ʒ i.

Syrupus, q. s.

M. ft. Massa et div. in pil. xx.

FORM 116.

Pil. Aloes et Ferri, B.P.

℞

Ferri Sulph., ʒ i $\frac{1}{2}$.

Aloës Barb., ʒ ij.

Pulv. Cinnam. Co., ʒ iii.

Conf. Rosæ, ʒ iv.

M. ft. massa et div. in pil. xliij.

FORM 117.

Pil. Ferri Carbonatis.

℞

Ferri. Carb. Sacchar., ʒ iv.

Conf. Rosæ; ʒ j.

M. ft. massa et div. in pil. xx.

FORM 118.

Pil. Colocynth. Comp., B.P.

℞

Colocynth. Pulp., ʒ i.

Aloës Barb.

Scammon. Pulv., aa. ʒ ij.

Potass. Sulph., gr. v.

Ol. Caryoph., ℥ v.

Aquæ Destil., q. s.

M. ft. massa et div. in pil. xxiv.

FORM 119.

Pil. Colocynth. et Hyoscy., B.P.

℞

Pil. Coloc. Co., ℥ ij.

Ext. Hyoscyam., ℥ i.

M. ft. massa et div. in pil. xij.

FORM 120.

Pil. Hyoscyam ̄ Scillâ.

℞

Ext. Hyoscy., gr. ij.

Pil. Scillæ Comp., gr. ij.

Pulv. Ipecac., gr. $\frac{1}{2}$.

M. ft. pil.

FORM 121.

Pil. Ipecac. ̄ Scillâ, B.P.

℞

Pulv. Ipecac. Comp., ʒ j.

Pulv. Scillæ.

Pulv. G. Ammon., aa. ℥ i.

Theriacæ, q. s.

M. ft. massa et divide in pil. xxvi.

FORM 122.

Pil. Plumbi ꝛ Opio, B.P.

℞

Plumbi Acetat., gr. iv.

Pulv. Opii, gr. $\frac{2}{3}$.Conf. Rosæ, gr. $\frac{2}{3}$.

M. ft. pil.

FORM 123.

Pil. Rhei Comp., B.P.

℞

Pulv. Rhei, ℥j.

Pulv. Aloës Soc., ʒ ij. gr. v.

Pulv. Myrrh.

Pulv. Sapo. Dur., aa. ℥ $\frac{1}{2}$ Ol. Menth. Pip., ℥ iij. $\frac{3}{4}$.

Theriacæ, ʒ iv.

M. ft. massa et div. in pil. xlvij.

FORM 124.

Pil. Saponis Comp.

℞

Pulv. Opii, ʒ $\frac{1}{2}$.

Pulv. Sapo. Dur., ʒ ij.

Aquæ Dest., q. s.

M. ft. massa et divide in pil. xij.

Messrs. PROBYN & Co. will be happy to cover pills ordered in prescription with their improved coating, thus rendering them perfectly tasteless. Please order "*Probyn's*" coating.

MISTURÆ.



FORM 125.

Mistura Alkalina.

℞

Potass. Bicarbon., gr. xv.

Tinct. Limonis, ℥ x.

Syr. Simplicis, ℥ xx.

Aquæ ad., ℥ i.

M. ft. haust.

FORM 126.

Mist. Alkalina Effervescens.

℞

Pot. Bicarb., gr. xx.

Tinct. Limonis, ℥ x.

Syr. Simplicis, ℥ xx.

Aquæ ad., ℥ i.

M. c Sol sequent.

℞

Acid. Citrici., gr. xvij.

Aquæ ad., ℥ i.

M. ft. solutio.

FORM 127

Mist. Resin. Copaibæ.

℞

Resin. Copaibæ, ℥ i

Sp. Vin. Rect., ℥ i½.

Sp. Chlorof., ℥ j.

Syr. Zingiber, ℥ iv.

Mucil. G. A., ℥ i.

Aquæ ad., ℥ vj.

M. ft. mist.

FORM 128.

Mist. Ferri Comp.*(Griffiths's Mixture.)*

℞

Ferri Sulph., gr. xxv.

Potass. Carbonat., ℥ ½.

Gum Myrrhæ.

Sacchar Purif., aa. ℥ j.

Sp. Myristicæ, ℥ iv.

Aquæ Rosæ, ℥ ix½.

M. ft. mist.

FORM 129.

Linctus Glycerini Co.

℞

Morph. Mur., gr. v.

Aquæ Lauro cerasi, ℥ ix.

Syr. Limonis, ℥ iv ½

Sp. Chloroformi, ℥ iv ½.

Glycerin Pur., ad. ℥ ix.

M. ft. linctus ℥ j. pro dosis.

FORM 130.

Mist. Hyd. c̄ Iodo.

℞

Pot. Iodid., ℥ j.

Liq. Hyd. Perch., ℥ xij.

Tinct. Limon., ℥ ij.

Aquæ, ℥ xij.

M. ft. mist.

FORM 131.

Conf. Sennæ c̄ Jalap.

℞

Pulv. Sennæ, ℥ j.

,, Jalap., ℥ iv.

Potass. Tart. Acid, ℥ i.

Syr. Zingib., ℥ iij.

LIST OF PESSARIES,

Minié-bullet shape, each containing $\bar{3}$ ij Cocoa Butter
in addition.

Acetate of Lead.	7½ grains.
Acetate of Lead and Opium . . .	7 grs. and 2 grs.
Borax	15 grains.
Bromide of Potassium	10 grains.
Bromide of Potassium and Atropine	10 grs. and 1-20th gr.
Carbolic Acid	2 grains.
Carbolate of Lime	15 grains.
Carbonate of Soda	15 grains.
Iodide of Lead and Atropine . . .	10 grs. and 1-18th gr.
Mercurial Ointment	30 grains.
Morphia	1 gr. and *2 grs.
Morphia and McDougall's Disinfecting Powder for Carcinoma Uteri . . .	1 gr. and 12 grs.
Morphia and McDougall's Disinfecting Powder	2 grs. and 12 grs.
Opium	2 grains.
Oxide of Zinc	15 grains.
Perchloride of Iron	5 grains.
Red Oxide of Mercury	2 grains.
Sulphate of Zinc, Exsic.	4 grains.
Sulphate of Zinc, Exsic., and Sulphate of Alum, Exsic., for Gonorrhœa . .	2 grs. of each. (Bougie Shape).
Tannic Acid	10 grains.
White Bismuth	15 grains.

G R A N U L A R

E F F E R V E S C E N T S A L T S ,

WITH PROPORTION OF THE

A C T I V E I N G R E D I E N T S .



Citrate of Iron, Quinine, and Strychnia (Iron, gr. j.,
 Quinine, gr. j., Strychnia, gr. $\frac{1}{20}$ in $\bar{3}j$.)
 Citrate of Iron and Quinine (gr. j. each in $\bar{3}j$.)
 Citrate of Iron (gr. ij in $\bar{3}j$.)
 Citrate of Quinine (gr. j. in $\bar{3}j$.)
 Citrate of Lithia (gr. iv. in $\bar{3}j$.)
 Carbonate of Lithia (gr. iv. in $\bar{3}j$.)
 Ammonia-Citrate of Bismuth (gr. ij. in $\bar{3}j$.)
 Citrate of Potash (gr. x. in $\bar{3}j$.)
 Iodide of Sodium (gr. jss. in $\bar{3}j$.)
 Vichy Salts (gr. x. in $\bar{3}j$.)
 Carlsbad Salts (gr. x. in $\bar{3}j$.)
 Hypophosphite of Soda (gr. iv. in $\bar{3}j$.)
 Bromide of Potassium (gr. ij. in. $\bar{3}j$.)



COD LIVER OIL EMULSION,

EMULSIO OL. MORRHUÆ "PROBYN,"

Perfectly free from Alkali and guaranteed to contain 50 per cent. of purest Cod Liver Oil.



The great advantage which it possesses over the plain Oil, is that it is perfectly miscible (in any proportion) with water, wine, milk, coffee or other agreeable fluid, consequently it is much more suitable and easy of digestion for delicate stomachs. "Dose," from half to two tablespoonfuls.

In prescribing, we shall feel much obliged by its being ordered thus:—

Emulsio Ol. Morrhue, "Probyn."



PEPTONE
OF
BEEF,

Most usefully employed in weakened digestion, extreme debility, and in all states of exhaustion and prostration.

8 OZS. ARE EQUAL TO 4 OZS.

OF

PERFECTLY DIGESTED
UNCOOKED RUMP STEAK.

Salt, Pepper, Essences of Onion, Celery, or other flavouring may be added to suit the palate.

To be kept in a cool place.

